



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 8

999 18TH STREET- SUITE 300 DENVER, CO 80202-2466 Phone 800-227-8917 http://www.epa.gov/region08

Ref: 8EPR-SR

June 15, 2006

LITTON LOAN SERVICING 4000 INDUSTRIAL BLVD ALIQUIPPA, PA 15001

RE: 2525 E 45TH AVE

Dear Owner,

As part of the VB/I-70 Superfund Site investigation, we recently took soil samples at your property to find out if there is too much lead or arsenic in your yard. The results show that your property does not require a cleanup. The levels of both lead and arsenic are below our cleanup levels. The soil sampling results for your property are as follows:

ADDRESS: 2525 E 45TH AVE

EPA Cleanup Levels

Lead

123 parts per million (ppm)

above 400 ppm

Arsenic

6 ppm

above 70 ppm

This means that your property is not considered by EPA to be part of the VB/I-70 Superfund Site. EPA does not believe that further measures are necessary. You and your family are not at significant risk from arsenic through ordinary contact with soil in your yard while playing, working, gardening, etc. Please note that there may be small areas in your yard, particularly near your house, that may have higher levels of lead due to peeling, external lead-based paint. EPA encourages all owners of older properties to take reasonable precautions regarding lead-based paint.

For further information, please feel free to contact EPA Community Involvement Coordinators Jennifer Chergo at (303) 312-6601 or Patricia Courtney at (303) 312-6631.

Sincerely,

Victor Ketellapper

Remedial Project Manager

The Environmental Protection Agency, Region 8

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample 1D: VB-2525-45-01 Client Project ID: 213001.01 Date Collected: 5/25/06 Date Received: 5/25/06

Lab Work Order: 06-3348 Lab Sample ID: 06-3348-44 Sample Matrix: Soil

Sample Mattix:

METALS

Method: SW6010 Prep Method: SW3050

Dilution Factor: Date Prepared: 6/5/06 Lab File ID: 060606PM Date Analyzed: 6/7/06 Lab Fraction ID: 06-3348-44A Method Blank: MB-10070 Analytes CAS Number Result LQL Units Arsenic 7440-38-2 6.4 3.9 mg/Kg 78 Lead 7439-92-1 5.7 mg/Kg

MB

Qualiflers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

 -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL. Approved

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 6/9/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample ID: VB-2525-45-02 Client Project ID: 213001.01

Date Collected: 5/25/06 Date Received: 5/25/06

Lab Work Order: 06-3348 Lab Sample 1D: 06-3348-45

Sample Matrix: Soil

METALS

Method: SW6010 Prep Method: SW3050

Date Prepared: 6/5/06 Lab File ID: 060606PM Dilution Factor:

Date Analyzed: 6/7/06 Method Blank: MR-10070 Lab Fraction ID: 06-3348-454

MICHIGA DIGINA MID-10010	Cub I	East Fraction to: 00-3540-45A		
CAS Number	Result	LQL	Units	
7440-38-2	6.3	4.0	mg/Kg	
7439-92- 1	100	5.9	mg/Kg	
	CAS Number 7440-38-2	CAS Number Result 7440-38-2 6.3	CAS Number Result LQL 7440-38-2 6.3 4.0	

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits U - Compound analyzed for but not detected

X - See case narrative

* -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Approved

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 6/9/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample 1D: VB-2525-45-03 Client Project 1D: 213001.01 Date Collected: 5/25/06

5/25/06

Date Received:

Lab Work Order: 06-3348
Lab Sample ID: 06-3348-46

Sample Matrix: Soil

METALS

Method: SW6010 Prep Method: SW3050

Date Prepared: 6/5/06 Lab File ID: 060606PM **Dilution Factor:** Lab Fraction ID: 06-3348-46A Date Analyzed: 6/7/06 Method Blank: MB-10070 **Analytes** CAS Number Result LQL Units 7440-38-2 6.4 3.8 mg/Kg Arsenic Lead 7439-92-1 190 5.5 mg/Kg

MB

Anaiyst

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

I - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

*-Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.


Definitions: NA - Not Applicable

Approved

LQL - Lower Quantitation Limit

Surr - Surrogate

Print Date: 6/9/06





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
Victor Ketellapper
Phone 800-227-8917
http://www.epa.gov/region08

CONSENT FOR ACCESS TO PROPERTY

	Name:
	Location of Property: 2525 S. 45th Ale, Denicer, CO SOZIL
	Property ID:
	I consent to officers, employees, and authorized representatives of the United States commental Protection Agency (EPA) entering and having continued access to the above enced property for the purpose of taking samples of soil on the Site.
	I realize that these actions are undertaken pursuant to EPA's response and enforcement nsibilities under the Comprehensive Environmental Response, Compensation and Liabilit CERCLA or Superfund), 42 U.S.C. § 9601 et seq.
	BEH MERRITT
_3	ed Name 83-539-5735 e Number
- A	al 0 Muit 5/22/06
Signa	Ture as agent for PAS. Date